

This PDF includes a chapter from the following book:

Linguistics for the Age of AI

© 2021 Marjorie McShane and Sergei Nirenburg

License Terms:

Made available under a Creative Commons
Attribution-NonCommercial-NoDerivatives 4.0 International Public License

<https://creativecommons.org/licenses/by-nc-nd/4.0/>

OA Funding Provided By:

The open access edition of this book was made possible by generous funding from Arcadia—a charitable fund of Lisbet Rausing and Peter Baldwin.

The title-level DOI for this work is:

[doi:10.7551/mitpress/13618.001.0001](https://doi.org/10.7551/mitpress/13618.001.0001)

Index

Page numbers in italic indicate a figure and page numbers in bold indicate a table on the corresponding page.

- Abduction, 22
- Abductive reasoning, 21–22
- Abelson, R. P., 6
- ACE. *See* Automatic Content Extraction (ACE) corpus
- Achalasia disease model
 - learning components of, 327–328
 - ontological knowledge for, **323**
 - patient-authoring interface for, 320–321, **322**
- Acquisition
 - of lexicon, 103–104, 382
 - of ontology, 98
- Actionability
 - definition of, 4, 62, 90
 - judgement of, 13–15
 - principle of least effort and, 14–15
- ACT-R, 37
- Adjectives. *See also* Modification
 - new-word learning of, 136
 - unknown, 195–196
- Advances in Cognitive Systems* community, 396n1
- Adverbs. *See also* Modification
 - in constructions, 166
 - semantic analysis of, 141
- AECs. *See* Anaphoric event coreferences (AECs)
- Agent applications. *See also* Maryland Virtual Patient (MVP) system
 - bias-detection advisor, 331–343
 - LEIA-robots, 343–347, **346**
- Agent architecture, 9–13
- Agent First principle, 23
- Agrammatic aphasia, 24
- AGREE-TO-AN-INTERVENTION-OR-NOT evaluation
 - function (MVP), 316–317
- Allen, J., 139, 353
- Al-Sayyid Bedouin Sign Language, 24
- Altmann, G. T. M., 17
- Ambiguity
 - benign, 15, 95, 209, 210, 220
 - lexical, 2–3, 290, 362–365
 - morphological, 2
 - pragmatic, 3
 - of proper names, 208
 - referential, 3
 - residual, 247–254, 261–262, 290–291
 - scope, 3
 - semantic dependency, 3
 - syntactic, 3
- Analogy, reasoning by, 61, 252–253
- Analytic approach, 9
- Anaphoric event coreferences (AECs), 234–240, 393n45
 - adjuncts in sponsor clause, 238–239
 - coreference between events, 237–238
 - coreference between objects in verb phrases, 238–239
 - ellipses-resolved meaning representation for, 234–235, **235**
 - modals and other scopers, 239–240
 - verbal/EVENT head of sponsor, 235–237
- Anchors, memory
 - challenges of, 209–210
 - definition of, 203
 - example of, 204–205
 - during Situational Reasoning, 297
- Annotation. *See* Corpus annotation
- Antecedents. *See* Sponsors
- Anticipation, 12, 394n11
- Antonymy, 43
- Aphasia, 24
- Application-specific lexicons, 104–105
- Apresjan, Ju. D., 386n15
- Arguments, coreferencing of, 72
- Argument-taking words
 - constraints on, 211
 - as constructions, 166–167
 - lexical acquisition of, 74

- Artificial neurons, 5
 Aspect, semantic analysis of, 162, 165
 Aspectual verbs
 elided and underspecified events involving, 186–189, 192, 241–242
 scopers and, 240
 Attempto, 97
 Automatic Content Extraction (ACE) corpus, 52
 Automatic disambiguation, 25, 74–76, 103, 370
 Automatic programming, 388n10
 Automatic syn-mapping process, 131–134
- Babkin, P., 215, 365, 366
 Bad events/states. *See* Negative sentiment terms
 Baker, M., 49
 Bakhshandeh, O., 394n18
 Bar Hillel, Y., 5–6, 56
 Barrett's metaplasia, 307
 Base-rate neglect, 337
 Basic Coreference Resolution
 across syntactic categories, 206–207
 anaphoric event coreferences, 234–240, **235**, 393n45
 with aspectuals + OBJECTS, 241–242
 chain of coreference, 201, 208
 challenges of, 205–210, 391n4
 coreferential events expressed by verbs, 242–244
 decision-making after, 86
 definite descriptions, 204, 227–233
 ellipsis, 210–211
 example of, 203–212
 further exploration of, 244–245
 general principles of, 82
 implicatures, 206
 in knowledge-lean paradigm, 44–46
 personal pronouns, 206, 212–217
 pronominal broad referring expressions, 217–227, 392n28, 393n32
 semantic relationships between referentially related entities, 207
 terminology related to, 202–203
 words excluded from, 203
 Basic Semantic Analysis
 algorithms for, 141–142
 constructions, 165–175
 decision-making after, 85–86
 definite description processing, 227–228
 ellipsis, 186–193, **188**
 fragmentary utterances, 193
 further exploration of, 199–200
 general principles of, 82, 141–143
 indirect speech acts, 175–176
 issues remaining after, 198–199
 metaphors, 180–185, 199
 metonymies, 185–186
 modification, 143–159
 nominal compounds, 176–180, **177**, 200
 nonselection of optional direct objects, 193
 proposition-level semantic enhancements, 160–165
 unknown words, 193–198
 Batiukova, O., 102
 Baxter robot, 344
 BDI (belief-desire-intention) approach, 9, 11
 Beale, S., 237, 358, 362, 366
 Belief modality, **161**
 Benign ambiguity, 15, 95, 209, 210, 220
 Berners-Lee, T., 27
 Besold, T. R., 40
 Bias-detection advisor
 clinician bias detection, 335–339
 memory support for bias avoidance, 333–334, **334**
 patient bias detection, 339–343, **341**, **342**
 vision of, 331–333, **332**
 Bickerton, D., 23
 Big data, 4–5, 57, 63, 302, 324, 347
 Binding sets, 126–128, **127**
 BLEU, 396n3
 Boas system, 328
 Boeing's Computer Processable Language, 96
 Bos, J., 392n28
 Bounded rationality, theory of, 331
 Bowdle, B., 180
 Brants, T., 53
 Brick, T., 41
 Bridging references, 207, 229–231
 Broad referring expressions, resolution of
 in machine translation, 392n28
 negative sentiment terms, 221–223, 226
 simple example of, 217–218
 in syntactically simple contexts, 219–221, 226, 393n32
 using constructions, 218–219, 226
 using meaning of predicate nominals, 223–224, 227
 using selectional constraints, 224–227
 Brooks, R., 38
 Brown, R. D., 20
 Byron, D., 392n28
- Candidate sponsors, 202, 219, 226
 Carbonell, J. G., 21
 Cardinality of sets, 152–158
 Carlson, L., 20
 Carnap, R., 5
 Cartwright, N., 39, 89
 Case role labeling, 28
 Case studies, knowledge extraction from, 326–327
 CELT. *See* Controlled English to Logic Translation (CELT)
 Centering Theory, 21
 Cerisara, C., 46
 Chain of coreference, 201, 208
 Change
 conditions of, 190–191, 241–242
 events of, 270, 284

- CHANGE-EVENTS, 198, 274–276
 - missing values in, 279
- Chinchor, N., 244
- Chomsky, N., 16
- Church, K., 7–8
- Cimiano, P., 100–101
- Cinková, S., 394n20
- Clark, H. H., 49
- Clinical bridges, 302
- Clinician biases
 - detection of, 335–339
 - memory support for avoidance of, 333–334, **334**
- Clinician training. *See* Maryland Virtual Patient (MVP) system
- COCA corpus, exploration of, 140, 199–200, 245, 284
- Cognition modeling, 311–317
 - decision-making evaluation functions, 314–317
 - goals, 313–314
 - learning through language interaction, 312–313, **312**
- Cognitive architecture
 - current views on, 36–38
 - OntoAgent, 10–13, *11*, 30, 115, 286–287, **287**
 - psycholinguistic evidence for, 17
- Cognitive bias. *See also* Bias-detection advisor
 - clinician biases, 335–339
 - definition of, 331
 - memory support for avoidance of, 333–334, **334**
 - patient biases, 339–343, **341**, **342**
 - sources of, 331–332
- Cognitive linguistics, 22–23, 386n19
- Cognitive load, 31, 90, 124, 223, 227, 256, 280
- Cognitive Science Laboratory, Princeton University, 42
- Cohen, K. B., 394n17
- Cohen, P., 100
- Cohen, P. R., 37
- Collocations, 108, 166, 391n18
- Combinatorial complexity
 - causes of, 134–135, *135*
 - sense bunching and, 135–138
- Commands
 - indirect speech acts, 175–176
 - semantic analysis of, 164–165, **164**
- Common Logic Controlled English, 97
- Communicative acts. *See* Dialog acts
- Community-level task formulation, 352
- Comparative filter, 371
- Comparatives, 270–279, 394n18
 - classes of, 271–277, **272**
 - machine learning approach to, 394n18
 - overview of, 270–271
 - reasoning applied in, 277–279
 - ungrounded and underspecified comparisons, 270–279
- Component-level evaluation experiments
 - difficult referring expressions, 365–366
 - lexical disambiguation and establishment of semantic dependency structure, 362–365
 - multiword expressions, 358–362
 - nominal compounding, 355–358
 - verb phrase (VP) ellipsis, 366–369
- Compositionality, 29, 386n27
- Compounds, nominal. *See* Nominal compounds (NNs)
- Computational formal semantics, 18–20, 353
- Computational linguistics, 15, 89, 384
- Computer processable controlled languages, 96–97
- Computer Processable English, 96
- Concept grounding, 345
- Concepts
 - concept instances versus, 98
 - instances of, 98, 251
 - mapping of, 105–106
 - modifiers explained using combinations of, 149–150, 159
 - naming conventions for, 393n43
 - prototypical relationships between, 265–266
 - scripts and, 99
 - types of, 70–71
 - words versus, 98
- Conditional filter, 371
- Confidence levels, 60, 65, 67
- Confirmation bias, 342
- Conflicts, property value, 228
- Constituency parses, 118, *119*
- Constraints
 - automatic disambiguation supported by, 74–76
 - connected versus unconnected, 265–266
- Construction grammar, 16–17, 165
- Constructions
 - constituents in, 166–167
 - definition of, 91, 165–166
 - exclusion criteria for, 174
 - lexical versus non-lexical, 167–168, 391n17
 - null-semmed components of, 169–172
 - object fronting, 167
 - overlapping of, 174
 - polysemy in, 174
 - resolving personal pronouns with, 213–215, 217
 - resolving pronominal broad RefExes with, 218–219, 226
 - utterance-level, 172–173
- Context, 3–4
- Controlled English to Logic Translation (CELT), 96–97
- Controlled languages, 96–97
- Conventional metaphors, 180–185. *See also* Metaphors
- Conversation acts. *See* Dialog acts
- Copular metaphors, 184–185
- Coreference
 - of arguments, 72
 - chain of, 208
 - window of, 202

- Coreference resolution. *See* Basic Coreference Resolution; Textual coreference
- CoreNLP Natural Language Processing Toolkit, 117–118, 139, 356, 359, 388n3
- coreference resolver, 213, 217, 227, 244, 294, 392n18
- Cornell Natural Language for Visual Reasoning corpora, 158, 396n12
- Corpus annotation
- of discourse structure, 21
 - in evaluations, 351, 353–354, 366, 382
 - event coreference links in, 244
 - further exploration of, 139, 244
 - “golden” text meaning representations, 93–94
 - machine learning and, 15, 21, 44–46, 394n20
 - manual, 19, 27, 52–55
 - in the Prague Dependency Treebank, 55
 - resources devoted to, 28
 - semantic annotation in, 29
 - times of events in, 162
- Creative idiom use. *See* Idiomatic creativity
- Crosslinguistic differences, 100, 392n22
- Cryptography, 5
- Cybernetics, 5
- Cycorp, 37
- Cyc, 25–26, 98, 296
- DARPA, Explainable AI program, 38–39
- Dcoref, 392n18
- Decision-making
- after basic semantic analysis, 82, 85–86
 - after extended semantic analysis, 82, 87
 - after pre-semantic analysis, 81, 84–85
 - after pre-semantic integration, 81–82, 85
 - after situational reasoning, 82, 87–88
 - decision points in, 83–84, 83, 84
 - in Maryland Virtual Patient (MVP) system, 313–317
- Decision points, 83–84, 83, 84
- Default* facet, 71, 146, 241
- Definite descriptions
- awaiting Situational Reasoning, 233
 - during Basic Coreference Resolution, 228–233
 - during Basic Semantic Analysis, 227–228
 - during Pre-Semantic Analysis, 227
 - sponsors for, 229, 231–233
- Delimit-scale routine, 145–147
- Demand-side approach, 302
- Dependency parses, 118, 119
- Dependency-syntax theory, 54–55
- Depletion effects, 333, 340
- Descriptive-pragmatic analyses, 20–22
- Descriptive rationality, 40
- DeVault, D., 41
- Dialog acts
- ambiguity in, 290–291
 - categories of, 47–48
 - definition of, 47
 - detection of, 46–48, 387nn40–42
 - indirect, 39, 81, 175–176, 199, 297–298
 - residual ambiguity, 287, 290–291
- Dialogue Act Markup in Several Layers (DAMSL)
- tag set, 47–48
- Dictionaries
- machine-readable, 42–43, 98, 103
- Diogenes the Cynic, 39
- Direct objects
- constraints on, 75
 - coreference between, 238–239
 - ellipsis of, 392
 - nonselection of optional, 193
 - of sequential coordinate clauses, 215
- Discourse. *See* Pragmatics
- Discourse-structure annotation, 21
- Discourse-theoretic approaches. *See* Pragmatics
- Disease models
- development of, 304–305
 - GERD example, 306–311, **307**, **310**, **311**
 - visualization of, 320–324
- Disfluencies, stripping of, 124
- Distributional semantics, 28–29, 290, 386n27, 394n3
- Doctor-patient dialog, bias detection in, 342–343, **342**
- Double agents, 303
- Dynamically computed values
- for relative text components, 150–152
 - of scalar attributes, 145–148
- Dynamic programming, principle of, 61
- Dynamic sense bunching, 135–138
- Dynamic Syntax, 17
- Effort modality, **161**
- Eliminativism, 385n7
- Ellipsis
- aspectuals + OBJECTS, 189–193, 241–242
 - definition of, 210–211
 - gapping, 91, 192, 193, 211
 - head noun, 192, 193
 - lexically idiosyncratic, 189–190, 193
 - in natural language processing, 211, 392n17
 - verb phrase, 186–189, **188**, 192, 366–369, 393n44
- Empirical natural language processing (NLP), 27–29, 50–52, 290, 386n27, 394n3
- Empiricism, 7–8
- End-system evaluations, 350
- English, J., 345
- English Gigaword corpus, 214, 365
- Enumerative lexicons, 102–103
- Episodic memory, 60, 68, 77, **287**
- Epistemic modality, 113–114, **161**, 163, 380
- Epiteuctic modality, **161**
- Evaluation
- challenges of, 349–350
 - conclusions from, 381–382
 - of difficult referring expressions, 365–366
 - end-system, 349–350

- holistic, 369–382
- of lexical disambiguation, 362–365
- of multiword expressions, 358–362
- of nominal compounding, 355–358
- task-oriented, 351–354
- of verb phrase ellipsis, 366–369
- Evaluation functions, 314–317
- Evaluative attitudes, effect of, 340
- Evaluative modality, **161**, 271, 377, 380
- Event coreference. *See* Textual coreference
- Event ellipsis
 - lexically idiosyncratic, 189–190, 193
 - verb phrase, 186–189, **188**, 192, 366–369, 393n44
- Event identity, 244
- Events
 - anaphoric event coreferences, 234–240, **235**, 245, 393n45
 - case roles for, 70
 - of change, 270, 279, 284
 - coreferential, 237–238, 242–244
 - definition of, 70
 - properties of, 70
 - reference resolution of, 204
- Event scripts, bridging via, 230–231
- Evolution of language, 23–25
- Exaggerations, 298–299
- Experiments, evaluation
 - difficult referring expressions, 365–366
 - lexical disambiguation, 362–365
 - multiword expressions, 358–362
 - nominal compounding, 355–358
 - verb phrase ellipsis, 366–369
- Explainable AI program (DARPA), 38–39
- Explanatory AI (artificial intelligence), 13–15, 38–40, 301, 385n7
- Expletives, 170–171
- Exposure effect, 338–340
- Extended Semantic Analysis
 - decision-making after, 87
 - fragments, 279–283, 394n20
 - general principles of, 82
 - incongruities, 254–264
 - indirect modification, 262–264
 - residual ambiguities, 247–254
 - underspecification, 264–279
- Extralinguistic information, 1
- Facets
 - default, 146
 - definition of, 71
 - relaxable-to, 146
 - sem, 146–147
- False intuitions, 335–336
- Fast-lane knowledge elicitation strategy, 329, **329**
- Feature matching, 214–215
- Fernández, R., 394n20
- Field-wide competitions, 44, 387n44
- Fillmore, C., 385n11
- Filters, sentence extraction. *See* Sentence extraction filters
- Find-anchor-time routine, 388n2
- Finlayson, M. A., 19
- Fishing algorithm, 287–290
- Fixed expressions. *See* Multiword expressions (MWEs)
- Fleshing out algorithm, 287–290
- Focus, 20, 31
- Fodor, J., 104
- Folk psychology, 14, 39–40
- Forbus, K. D., 388n16
- Formal semantics, 17–20
- Formulaic language, 391n18. *See also* Multiword expressions (MWEs)
- Fractured syntax, 287–290
- Fragments, 193, 211, 279–283
- FrameNet, 25–26, 28, 115, 385n11, 388n8
- Frame semantics, 26
- Framing sway, 342
- Functionalism, 385n7
- Fuzzy matching, 121–122
- Gapping, 91, 192, 193, 211
- Garden-path sentences, 143, 390n2
- Gastroesophageal reflux disease (GERD)
 - model, 306–311, **307**, **310**, **311**
- Generalized phrase structure grammar, 6, 385n4
- General-purpose lexicons, 104–105
- Generative grammar, 6, 16, 23, 139
- Generative lexicons, 102–103
- Genesis system, 19–20
- Gentner, D., 180
- GERD. *See* Gastroesophageal reflux disease
- Gigaword corpus, 214, 365
- GLAIR, 37
- Goals, 61, 313–314
- “Golden” text meaning representations, 93–94
- Gonzalo, J., 43
- Google Translate, 56
- Graesser, G., 180
- Grounding, 48–49, 292, 387n41, 391n1
- Hahn, U., 389n20
- Hajič, J. 55
- Halo effect, 341–342, **341**
- Halo-property nests, 341–342, **341**
- Handcrafted knowledge bases
 - Cyc, 25–26
 - FrameNet, 25–26
 - Semantic Web, 27
 - VerbNet, 25–26
- Harris, D. W., 82
- Hayes, P. J., 69
- Head-driven phrase structure grammar, 6, 385n4
- Head matching, 206, 391n8
- Head noun ellipsis, 192, 193

- Hearst, M., 177
- Heuer, R. J., Jr., 332
- Heuristic evidence, incorporation of
 empirical natural language processing (NLP), 27–29
 handcrafted knowledge bases, 25–27
- Hidden meanings
 hyperbole, 298–299
 indirect speech acts, 175–176, 199, 297–298
 sarcasm, 298
- Hierarchical task network (HTN) formalism, 344
- Hirschman, L., 244
- Hirst, G., 386n15
- Hobbs, J., 21–22, 349
- Holistic evaluations
 conclusions from, 381
 experiment with filters, 374–381
 experiment without filters, 372–375
 limitations of, 369–371
 sentence extraction filters for, 371–372
- Homographous prepositions, 129
- Horizontal incrementality, 77–82, 80
- Hovy, E., 7, 177, 244
- Hutchins, J., 56
- Hybrid evaluations, 354
- Hyperbole, 298–299
- Hypernyms, 42, 231–233
- Hyponyms, 99, 103, 104, 231–233
- Ide, N., 103, 388n17
- Idiomatic creativity, 264
 detection of, 258–260, **258**
 further exploration of, 284, 394n12
 semantic analysis of, 261–262
 sources of, 257–258, 394n14
- Idioms, 284
 as constructions, 166
 creative use of, 257–262, **258**, 264, 284, 394n12, 394n14
 multiword expressions, 167, 174
 null-semmed constituents of, 169–172
- Illocutionary acts. *See* Dialog acts
- Illusion of validity, 336–337
- Imperatives, 28, 164–165, **164**
- Imperfect syn-maps, optimization of, 122, 126–128, **127**
- Implicatures, 41, 80, 206, 376, 381
- Implied events, 173
- Imprecision, semantic, 60
- Incongruities
 definition of, 254
 idiomatic creativity, 257–262, **258**, 264, 284, 394n12, 394n14
 metonymies, 185–186, 254–255, 264, 394n10
 preposition swapping, 256–257, 264, 284
- Incrementality
 challenges of, 40–41
 computational model of, 41–42
 horizontal, 79, 80
 during natural language understanding, 77–82
 in psycholinguistics, 17
 vertical, 79, 80, 84
- Incremental parser, 385n12
- Indirect modification, 158–159, 262–264
- Indirect objects, coreference between, 238–239
- Indirect speech acts, 39, 81, 175–176, 199, 297–298
- Inference, 22, 285
- Information theory, 5
- Inkpen, D., 386n15
- Instance coreference, 251
 between events, 237–238
 between objects in verb phrases, 238–239
- Instances, concepts versus, 98
- Instance-type relationships, 207
- Interannotator agreement, 47, 53, 55, 351, 353, 366, 391n21
- Interlingual Annotation of Multilingual Text
 Corpora project, 53
- Interrogatives. *See* Questions
- Intrasentential punctuation mark filter, 371
- Intuition, false, 335–336
- IS-A property, 70, 71, 99, 252
- Iteration values, of aspect, 162
- Jackendoff, R., 23–24, 286
- Jarrell, B., 320
- Jelinek, F., 50
- Jeong, M., 47
- Johnson, K., 180, 393n44
- Johnson, M., 180–181, 184
- Jones, R. M., 396n2
- Journal of Pragmatics, The*, 22
- Jumping to conclusions, 335
- Jurafsky, D., 56
- Kahneman, D., 335, 338, 341
- Kamide, Y., 17
- KANT/KANTOO MT project, 96
- KDiff3, 366
- King, G. W., 7
- Klein, G., 335
- Knowledge-based approaches, 3–8, 33–34
- Knowledge-based evaluations, 353–354
- Knowledge bases, 61, 68–77, 115. *See also* Lexicons;
 Ontology
 automatic extraction of, 42
 corpus annotations versus, 54
 episodic memory, 68, 77
 expansion of, 62
 handcrafted, 25–27
 in Situational Reasoning, 293–294
 specialized concepts in, 69
- Knowledge bottleneck, 7, 33–34, 42, 384
- Knowledge elicitation methods (MVP), 328–331, **329**, **330**

- Knowledge-lean paradigm
 coreference resolution in, 21, 28–29, 44–46, 53–54
 definition of, 3–8
- Knowledge Representation and Reasoning (KR&R)
 communities, 386n16
- Knowledge representation language (KRL), 10, 94–97
- Köhn, A., 40
- KR&R. *See* Knowledge Representation and Reasoning (KR&R) communities
- Král, P., 46
- KRL. *See* Knowledge representation language (KRL)
- Kruijff, G. J. M., 41
- Laërtius, Diogenes, 39
- Laird, J. E., 38
- Lakoff, G., 180, 182, 184
- Langley, P., 36
- Language-based learning, 33
- Language-centric reasoning, 61
- Language complexity, microtheory of, 371–372, 396n11
- Language-endowed intelligent agents (LEIAs).
See also Agent applications; Natural language understanding (NLU)
 architecture of, 9–13
 future directions in, 383–384
 phenomenological stance for, 31–32, 386n28
- Language evolution, 23–25
- Language Files* (Mihalicek and Wilson), 139
- Language Hoax, The* (McWhorter), 115
- Language independence, agent, 61
- Language Understanding Service, 287
- Largely language independent lexicons, 105–107, 389n24
- Lascarides, A., 394n20
- Leafgren, J., 386n17
- Learning, language-based. *See also* Lifelong learning
 by being told, 336
 by LEIA-robots, 345–347, **346**
 in the Maryland Virtual Patient (MVP) system, 324–328
 prerequisite for, 33
 by reading, 299–300
- Least effort, principle of, 14–15
- Lee, G. G., 47
- Lee, H., 213
- Legal sequences of actions, learning of, 345, **346**
- LEIA-robots, 343–347, **346**
- LEIAs. *See* Language-endowed intelligent agents (LEIAs)
- Lemma annotator, 118
- Lenat, D., 26
- Levesque, H. J., 37
- Levi, J. N., 177
- Levin, B., 26
- Lexical ambiguity, 2–3, 290, 362–365
- Lexical constructions, 167–168, 391n17
- Lexical disambiguation experiment, 362–365
- Lexical-functional grammar, 6, 385n4
- Lexical idiosyncrasy, 356–357
- Lexical lacunae, 363, 372, 382
- Lexically idiosyncratic event ellipses, 189–190, 193
- Lexical semantics, 17–18, 42–43
- Lexicons
 acquisition of, 103–104, 382
 addition of construction senses to, 131–134
 application-specific, 104–105
 automatic disambiguation in, 74–76
 definition of, 68
 enumerative, 102–103
 features of, 73–76
 general-purpose, 104–105
 generative, 102–103
 incompleteness of, 121–122, 369–370
 issues of, 102–111
 as key to successful natural language understanding, 60, 142
 largely language independent, 105–107, 389n24
 reuse across languages, 109–111
- Lexico-syntactic constructions
 resolving personal pronouns with, 213–215, 217
 resolving pronominal broad RefExes with, 218–219
- Lifelong learning
 definition of, 2
 need for, 62, 101, 384
 new-word learning, 124–126, 299–300
 research implications of, 62
- Light verb filter, 372
- Light verbs, 107–109
- Lin, J., 349
- Lindes, P., 38
- Linear grammar, 23
- Linguistic meaning, 286
- Linguistic scholarship, insight from, 15–25
 cognitive linguistics, 22–23
 language evolution, 23–25
 pragmatics, 20–22
 psycholinguistic, 17
 semantics, 18–20
 theoretical syntax, 16–17
- Listing, 61
- Literal attributes, 70, 144–145
- Liu, B., 221
- Local properties, 99–100
- Locutionary acts. *See* Dialog acts
- Lombrozo, T., 22
- Loops, 72
- Lower esophageal sphincter (LES), 306
- Lu, J., 45, 243–244

- Machine-readable dictionaries, 42–43, 98, 103
- Machine translation
 broad referring expressions in, 392n28
 historical overview of, 4–7, 56, 328–329
 paraphrase in, 353, 396n3
- Mandatory syntactic constituents, 211, 392n16
- Manning, C. D., 22, 95
- Manual lexical acquisition, 382
- Mapping, syntactic. *See* Syntactic mapping
 (syn-mapping)
- Marcus, G., 53
- Markables, selection of, 44, 351–352
- Martin, J. H., 56
- Maryland Virtual Patient (MVP) system
 cognitive modeling for, 311–317
 disease model for GERD, 306–311, **307**, **310**, **311**
 example system run, 317–320
 knowledge elicitation strategies for, 328–331, **329**, **330**
 learning components of, 324–328
 omniscient agent in, 32
 ontological knowledge for, 321–324, **323**
 ontological scripts for, 72–73, 305
 paraphrase and ontological metalanguage in, 113–115
 patient-authoring interface for, 320–321, **322**
 physiology modeling for, 304–305
 requirements for, 302–303
 traces of system functioning in, 324, **324**
 vision and architecture of, 301–304, 303
 visualization of disease models in, 320–324
- Matrix verbs, 163, 165
- McCarthy, J., 30
- McCrae, J., 100–101
- McCulloch, W. S., 5
- McShane, M., 105, 215, 237, 320, 358, 362, 365, 366, 369, 389n24, 392n22
- McWhorter, J. 100, 115
- Meaning, definition of, 50
- Meaning representations (MRs), 296. *See also* Text
 meaning representations (TMRs)
- Measurement of progress. *See* Evaluation
- Mechanical Translation and Computational Linguistics* journal, 4
- Mechanical Translation* journal, 4
- Memory
 anchors, 203–205, 209–210, 297
 episodic, 60, 68, 77, **287**
 in LEIA-robots, 345, 347
 of referring expressions, 209–210, 297
 semantic, 287, **287**
- Mental actions, 10, 62, **346**
- Merging, ontological, 100
- Meronymy, 43, 111
 bridging via, 230–231
 ontological paraphrase and, 113–115
- MeSH, 389n20
- Metacognition, 39–40
- Metalanguage, ontological, 60, 111–115
- Metaphors, 393n2
 conventional, 180–185
 copular, 184–185
 further exploration of, 199
 importance of, 180
 inventories and classifications of, 199
 in nominal compounding experiment, 357–358
 novel, 180–181
 past work on, 180–182, 391n21
- Metonymic Mapping Repository, 255
- Metonymies, 185–186, 254–255, 264, 394n10
- Microtheories
 combinatorial complexity, 134–138, 135
 concept of, 2, 13, 16, 61, 88–93
 development of, 16
 incomplete coverage of, 370–371
- Mihalicek, V., 139
- Mikulová, M., 55
- Miller, G., 25, 26, 42
- Mindreading, 14, 39–40, 69, 285, 298
- Minimal Recursion Semantics, 394n20
- Minsky, M., 30
- Mitkov, R., 44
- Modality
 properties of, 160–161
 semantic analysis of, 160–161, **161**, 165
 types of, **161**
- Modals, coreference resolution and, 239–240
- Modeling
 BDI (belief-desire-intention) approach, 9
 explanatory power of, 13–15
 levels of, 13
 nature of, 62
 ontological, 10
 phenomenological stance for, 31–32, 386n28
 properties of, 388n16
 role of, 89–91
 simpler-first, 91
 situation, 10
 tenets of, 1
- Modification
 combinations of concepts in, 149–150, 159
 dynamically computed values for relative text
 components, 150–152, 159
 dynamically computed values for scalar attributes, 145–148, 159
 indirect, 158–159, 262–264
 nonrestrictive, 393n40
 of null-semmed constituents, 170–172
 quantification and sets, 152–158, 159
 recorded property values, 143–145, 159
 restrictive, 229
- Moldovan, D., 52
- Monti, J., 390n15, 391n18
- Morphological ambiguity, 2

- MUC-7 Coreference Task, 21, 44, 53–54, 244
- MUC-7 coreference corpus, 53
- Multichannel grounding, 292
- Multiple negation filter, 371
- Multistep translation method, 97
- Multiword expressions (MWEs), 391n18
 - addition of new construction senses for, 131–134, 382
 - alternative semantic representations of, 106–107
 - challenges of, 174
 - as constructions, 167–168
 - evaluation experiment for, 358–362
 - in lexicon, 74, 128
 - light verbs in, 108–109
 - optimization of imperfect syn-maps for, 28
 - parser inconsistencies with, 121
 - prevalence of, 390n15
 - sense bunching and, 137
- MVP. *See* Maryland Virtual Patient (MVP) system
- Named entity recognition annotator, 118
- Narrow-domain systems, 41, 47, 62, 253
- Natural language (NL)
 - controlled, 96–97
 - knowledge representation language and, 94–98
 - paraphrase in, 111–115, 389nn27–28
- Natural language processing (NLP), 15–25, 41–42
 - agent architecture of, 9–13, *II*, 36–38
 - ambiguity in, 2–4
 - case roles for, 388n8
 - context in, 3–4
 - coreference resolution in, 21, 28–29, 44–46, 53–54
 - corpus annotation, 15, 21, 28–29, 45, 52–55, 385n2, 386n18
 - definition of, 4
 - ellipses in, 211, 392n17
 - empirical, 27–29, 50–52
 - field-wide competitions, 44, 387n44
 - goals of, 7
 - heuristic evidence incorporated into, 25–29
 - historical overview of, 4–8
 - incrementality in, 40–42
 - knowledge-based approaches to, 3–8, 33–34
 - knowledge bottleneck in, 7, 33–34, 42, 384
 - knowledge-lean paradigm, 3–8, 21, 28–29, 44–46, 53–54
 - knowledge representation and reasoning, 386n16
 - modeling in, 13–15
 - natural language understanding compared to, 4, 12, 33–36
 - paths of development in, 7–8
 - purview of, 8
 - timeframe for projects in, 8
- Natural language understanding (NLU). *See also*
 - Agent applications; Microtheories; Text meaning representations (TMRs)
 - cognitive architecture of, 9–13, *II*, 36–38
 - decision-making in, 63, 84–88
 - decision points in, 83–84
 - deep, 100–101
 - example-based introduction to, 64–68
 - future directions in, 383–384
 - incrementality in, 77–82, 80, 81
 - interaction with overall agent cognition, 61–62
 - knowledge and reasoning needed for, 60–61
 - methodological principles for, 60–62
 - modules, 13
 - natural language processing compared to, 4, 12, 33–36
 - nature of, 60
 - ontological metalanguage in, 60, 111–115
 - stages of, 79–84, 81 (*see also individual stages*)
 - strategic preferences for, 62–63
- Navaretta, C., 21
- Near synonyms, 103
- “Need more features” bias, 335
- Negative sentiment terms, 221–223, 226
- Neo-Whorfianism, 100, 115
- Neural networks, 15
- Newell, A., 388n14
- Newmeyer, F. J., 396n11
- Ng, V., 45, 243–244
- Nicaraguan Sign Language, 24
- Nirenburg, S., 95, 102, 345, 358, 362
- NLP. *See* Natural language processing (NLP)
- NLU. *See* Natural language understanding (NLU)
- No-main-proposition filter, 371–372
- Nominal compounds (NNs)
 - basic semantic analysis of, 88, 128, 176–180, 177
 - challenges of, 178–179
 - evaluation experiment for, 355–358
 - lexicon-oriented approaches to, 179–180
 - relation-selection approach to, 177–179
 - relations in, 51–52
 - search engine constraints and, 200
 - underspecified analysis of, 180, 264–269, 279
- Noncanonical syntax, 122, 124, 211
- Non-compositionality, 358, 387n2
- Non-lexical constructions, 167–168
- Nonliteral language, 20, 27, 145, 390n5
- Nonrestrictive modifiers, 393n40
- Nonselection of optional direct objects, 193
- Non-sentential utterances, 394n20
- Normative rationality, 40
- Nouns and noun phrases
 - definite descriptions, 203, 227–233
 - dynamic sense bunching of, 136
 - head noun ellipsis, 192, 193
 - new-word learning of, 125–126, 194–195
 - proper names, 68, 208, 229, 361
 - coreference resolution of, 206
- Novel metaphors, 180–181. *See also* Metaphors
- NP-Defs. *See* Definite descriptions

- Null-semming
 - definition of, 169
 - modification of null-stemmed constituents, 170–172
 - pleonastics and light verbs, 107–109
 - purpose of, 133
 - typical uses of, 169–170
- Object fronting, 167
- Objects
 - with aspectual verbs, 241–242
 - definition of, 70
 - direct, 75, 193, 215, 238–239, 392
 - dynamic sense bunching of, 136
 - indirect, 238–239
 - ontological definition of, 71
 - ontology-search strategies for, 248–252
 - properties of, 70
 - in verb phrases, coreference between, 238–239
- Obligative modality, **161**, 378, 380
- Observable causes, 39
- Occam's razor, 182
- Ogden, C. K., 96
- O'Hara, T., 388n8
- Olsson, F., 45
- Onomasticon, 68, 77
- OntoAgent cognitive architecture, 30
 - components of, 286–287, **287**
 - high-level sketch of, 10–13, *11*
 - knowledge bases for, 115
- OntoElicit, 328–331, **329**, **330**
- Ontological Construction Repository, 265–267
- Ontological instances, 251
- Ontologically decomposable properties, objects
 - linked by, 249–251
- Ontological metalanguage, 60, 111–115
- Ontological paraphrase, 111–115, 389nn27–28
- Ontological paths, objects linked by, 252, 268–269
- Ontological Semantics, 30, 77, 89, 103, 152, 160–161, **161**
- Ontology, 69–73
 - availability of, 100
 - benefits of, 71
 - concepts in, 69–70
 - content and acquisition of, 69–73
 - crosslinguistic differences in, 100
 - definition of, 68, 69
 - example of, 66–67
 - external resources for, 100
 - facets in, 71
 - issues of, 97–101
 - for Maryland Virtual Patient (MVP) system, 321–324, **323**
 - merging, 100
 - objects and events in, 71
 - object-to-object relations in, 248–254
 - role of, 60
 - scripts in, 71–73, 305, 388n10, 394n5
 - upper/lower divisions in, 100
- Ontology merging, 100
- Onyshkevych, B., 102
- Open-domain vocabulary, 74
- Optional direct objects, nonselection of, 193
- Optionally transitive verbs, 193
- Ordered bag of concepts* methodology, 211, 288–289
- Ordering, in scripts, 72
- Overlapping constructions, 174
- Packed representation, 41
- Paraphrase
 - challenges of, 353
 - detection of, 386n25
 - machine translation and, 353, 396n3
 - in natural language understanding, 111–115, 389nn27–28
 - in nominal compounds, 267–268
- PAROLE project, 389n23
- Paroubek, P., 350
- Parse trees, 139
- Parsing
 - constituency, 118, *119*
 - dependency, 118, *119*
 - error handling in, 129–130
 - inconsistency in, 121
 - parse trees, 139
 - syntactic, 28–29
- Part of speech (PoS) annotator, 118
- Partial event identity, 244
- Paths, objects linked by, 268–269
- Patient-authoring process (MVP), 320–321, **322**
- Patient biases, detection of, 339–343, **341**, **342**
- PDT. *See* Prague Dependency Treebank (PDT)
- PENG Light Processable English, 96
- Penn Treebank, 52, 53
- Peptic stricture, 307
- Perception Interpreter Services, 287, 292
- Perfect syn-maps, requiring, 122
- Performance errors, 34, 256–257, 284, 394n11
- Perlocutionary acts. *See* Dialog acts
- Permeation, sense, 102–103
- Permissive modality, **161**
- Perrault, C. R., 37
- Personal pronouns. *See* Pronouns, resolution of
- Phenomenological stance, 31–32, 386n28
- Phrasemes. *See* Multiword expressions (MWEs)
- Phrasological units. *See* Multiword expressions (MWEs)
- Physical actions, LEIA-robots, 344–347, **346**
- Physiology modeling, MVP system, 304–305
- Piantadosi, S. T., 14
- Pinker, S., 55
- Plato, 39
- Pleonastic pronouns, 107–109, 203
- Plesionyms, 103

- Poesio, M., 45
- Polylexical expressions, 391n18
- Polysemy
- in constructions, 174
 - in fragments, 281–283
 - in nominal compounding experiment, 357
- Potential modality, **161**
- Practical Effability, Principle of, 109
- Pragmatic ambiguity, 3
- Pragmatics
- abductive reasoning, 21–22
 - coreference resolution, 21, 28–29, 44–46
 - corpus annotation, 15, 21, 28–29, 45, 52–55, 386n18
 - descriptive-pragmatic analyses, 20
 - dialog act detection, 46–48, 387nn40–42
 - grounding, 48–49, 387n41
 - reference resolution, 20–21
 - relevance to agent development, 20–22
 - textual inference, 22
- Prague Dependency Treebank (PDT), 21, 54–55
- Preconditions of good practice, 330, **330**
- Predicate nominals, resolving pronominal broad referring expressions with, 223–224, 227
- Prepositions
- in constructions, 166
 - dynamic sense bunching of, 135–137
 - homographous, 129
 - prepositional phrase attachments, 128, 140
 - preposition swapping, 256–257, 264, 284
- Preprocessors, 28, 138
- Pre-Semantic Analysis
- constituency parse, 118, *119*
 - decision-making after, 84–85
 - definite description processing, 227
 - dependency parse, 118, *119*
 - general principles of, 81
 - outsourcing of, 60
 - tool set for, 117–118
- Pre-Semantic Integration
- addition of new construction senses in, 131–134
 - combinatorial complexity in, 134–138, *135*
 - decision-making after, 85
 - further exploration of, 139–140
 - general principles of, 81–82
 - new-word learning in, 124–126
 - optimization of imperfect syn-maps in, 126–128, **127**
 - parsing error handling in, 129–130
 - reambiguation of syntactic decisions in, 128–129
 - recovery from production errors in, 124
 - syntactic mapping, 118–124, *120, 123*
- Preston, L. B., 396n11
- Priming effect, 12, 342
- Primitive properties, objects linked by, 248–249
- Princeton University, Cognitive Science Laboratory, 42
- Principle of least effort, 14–15
- Principle of Practical Effability, 109
- Procedural semantics, 390n6
- Processing errors, 356
- Production errors, recovery from, 124, 290
- Pronominal broad referring expressions, resolution
- of, 217–227
 - in machine translation, 392n28
 - negative sentiment terms, 221–223, 226
 - simple example of, 217–218
 - in syntactically simple contexts, 219–221, 226, 393n32
 - using constructions, 218–219, 226
 - using meaning of predicate nominals, 223–224, 227
 - using selectional constraints, 224–226, 227
- Pronouns, resolution of
- challenges of, 206
 - using externally developed engine, 213, 217
 - using lexico-syntactic constructions, 213–215, 217
 - vetting of hypothesized pronominal coreferences, 215–217
- PropBank, 28, 52–53, 388n8
- Proper names
- ambiguity of, 208
 - in multiword expression experiment, 361
 - repository of, 68
 - sponsors for, 208, 229
- Properties
- definition of, 143–144
 - example of, 64–65
 - facets of, 146–147
 - local, 99–100
 - in Maryland Virtual Patient (MVP) system, 306–311, **307, 311, 314, 322, 325, 334**
 - objects linked by, 248–249
 - ontologically decomposable, 249–251
 - optimal inventory of, 70–71
 - recorded values, 143–145
 - semantically decomposable, 70
 - of sets, 154–155
 - stable, 293–294
 - types of, 70, 144–145
 - value mismatches, 228, 233
- Property value conflicts, 228
- Proposition-level semantic enhancements
- aspect, 162, 165
 - commands, 164–165, **164**
 - matrix verbs, 163, 165
 - modality, 160–161, **161**, 165
 - questions, 163–164, 165, 395n22
- Prosodic features, 389n6
- Protégé environment, 26
- Prototypical concept relationships, 265–266
- Psycholinguistics, 17, 21, 40–42
- Pulman, S., 96
- Purver, M., 385n12
- Pustejovsky, J., 102

- Quantification, 152–159
- Query expansion, WordNet and, 43
- Questions, 113–114, 395n22
 - indirect speech acts, 175–176
 - semantic analysis of, 163–165
- Ramsay, A., 104
- Raskin, V., 102
- Rationality, normative versus descriptive, 40
- Reading, learning by, 299–300
- Reambiguation of syntactic decisions, 128–129
- Reasoning strategies. *See also* Situational Reasoning
 - reasoning by analogy, 252–253
 - role in overall agent cognition, 61
- Recasens, Marta, 45
- Recorded property values, 143–145, 159
- Recovery
 - from parsing errors, 129–130
 - from production errors, 124
- Reference resolution, 202. *See also* Basic Coreference Resolution
 - coreference resolution compared to, 202–203
 - definition of, 201
 - reference-resolution meaning procedures, 228–229, 233
 - terminology related to, 202–203
- Referential ambiguity, 3
- Referring expressions (RefExes)
 - definition of, 202
 - ellipsis in, 208
 - evaluation experiment, 365–366
 - implicatures in interpretation of, 206
 - in machine translation, 392n28
 - pronominal broad RefExes, 217–227, 392n28, 393n32
 - situational reference, 292–297
 - sponsors, 202, 207–209, 293–297
 - storing in memory, 209–210, 297
 - universally known entities, 208
- Reflexive pronouns, coreference resolution of, 213
- Related objects, ontology-search strategies for
 - objects clustered using vague property, 251–252
 - objects filling case role of same event, 249
 - objects linked by ontologically decomposable property, 249–252
 - objects linked by primitive property, 248–249
- RELATED-TO property, 251–252
- RELATION property, 70, 135, 144–145, 394n7
- Relation-selection approach, 177–179
- Relationships, semantic, 207
- Relative spatial expression filter, 371
- Relative text components, values for, 150–152, 159
- Relaxable-to* facet, 71, 146, 241
- REQUEST-ACTION concept, 106, 131, 133, 164–165, **164**, 289–290
- REQUEST-INFO concept. *See* Questions
- Request-information dialog act, 47
- Residual ambiguity, resolution methods for, 247–254
 - domain-based preferences, 253, 290
 - ontology-search strategies for related objects, 248–252
 - reasoning by analogy, 252–253
 - speech acts, 261–262, 290–291
- Residual hidden meanings
 - hyperbole, 298–299
 - indirect speech acts, 297–298
 - sarcasm, 298
- Resnik, P., 349
- Restrictive modifiers, 229
- Riau Indonesian, 24
- Robotics, LEIAs in, 343–347, **346**
- Roncione, A., 344
- Rosario, B., 177
- Rule-in/rule-out criteria, 351
- Sample bias, 337–338
- Sampson, G., 53, 104
- Santa Barbara Corpus of Spoken American English, 124
- Sarcasm, 298
- Sayings. *See* Proverbial expressions
- SCALAR-ATTRIBUTES, 70, 159, 198
 - dynamically computed values for, 145–149
 - RANGE values for, 144–145
- Scenic-route knowledge elicitation strategy, 329
- Schaefer, E. F., 49
- Schank, R., 6
- Scheutz, M., 38, 41, 347
- Schlangen, D., 394n20
- Schmid, H., 23
- Scope ambiguity, 3
- Scopers, 239–240
- Script-based bridging, 230–231
- Scripts, 71–73, 305, 388n10, 394n5
- SDRT, 394n20
- Search strategies. *See* Related objects, ontology-search strategies for
- SEE-MD-OR-DO-NOTHING evaluation function (MVP), 314–316
- Selectional constraints, 224–227
- Semantically decomposable properties, 70
- Semantically null components. *See* Null-semming
- Semantic analysis. *See* Basic Semantic Analysis; Extended Semantic Analysis
- Semantic constraints, 74–75
- Semantic dependency, 3, 362–365
- Semantic enhancements, proposition-level
 - aspect, 162, 165
 - commands, 164–165, **164**
 - matrix verbs, 163, 165
 - modality, 160–161, **161**, 165
 - questions, 163–164, 165, 395n22
- Semantic memory, 287, **287**

- Semantic representations, 106–107
- Semantic role labeling, 28–29
- Semantics
 - abduction-centered, 21–22
 - distributional, 28–29, 290, 386n27, 394n3
 - formal, 18–20, 30
 - frame, 26
 - imprecision in, 60
 - lexical, 17–18, 42–43
 - Ontological Semantics, 30, 77, 89, 103, 152, 160–161, **161**
 - procedural, 390n6
 - relevance to agent development, 17–18
 - sense bunching, 390n13
 - sentence, 142
 - truth-conditional, 6
 - upper-case, 64, 387n2
- Semantic structures. *See* Sem-structs
- Semantic value, 82–83
- Semantic Web, 27
- Sem* facet, 146–147, 241
- Sem-structs (semantic structures), 65–66, 105–106, 109–111
- Sense bunching, 135–138
- Sense permeation, 102–103
- Sentence extraction filters
 - comparative, 371
 - conditional, 371
 - experiment using, 374–381
 - intrasentential punctuation mark, 371
 - light verb, 372
 - multiple negation, 371
 - no-main-proposition, 371–372
 - relative spatial expression, 371
 - set-based reasoning, 371
- Sentence semantics, 142
- Sentence trimming, 221
- Sequential feature-matching, 214
- Set-based reasoning filter, 371
- Set expressions. *See* Multiword expressions (MWEs)
- Sets
 - examples of, 153–154
 - expansion of, 155, 390n10
 - notation for, 152–153
 - properties of, 154–155
 - set-member relationships, 207
 - as sponsors, 231–232
- 7% rule, 147–148
- Shannon, C. E., 5
- Shirky, C., 27
- Sidner, C. L., 21
- Sign language, language evolution of, 24
- Simon, H., 331
- SIMPLE project, 105
- Simpler-first modeling, 91
- Simplifications, 63
- Siskind, J., 384
- Situational Reasoning
 - decision-making after, 87–88
 - definite description processing, 233
 - fractured syntax in, 287–290
 - general principles of, 82
 - learning by reading, 299–300
 - need for, 285–286
 - OntoAgent cognitive architecture, 10–13, *11*, 30, 115, 286–287
 - ordered bag of concepts* methodology, 211, 288–289
 - residual hidden meanings, 297–299
 - residual lexical ambiguity, 290
 - residual speech act ambiguity, 290–291
 - situational reference, 292–297
 - underspecified known expressions, 291
 - underspecified unknown word analysis, 291–292
- Situational reference, 292–297
- Sloppy coreference. *See* Type coreference
- Small sample bias, 337–338, 340
- SNOMED, 389n20
- SOAR, *11*, 37
- Social roles, guiding sponsor preferences with, 294
- Sortal incongruity, 255
- Source-code generation, 388n10
- Sowa, J. F., 96
- Span of text, 202, 206, 217, 219, 392n26
- Specify-approximation routine, 147–149
- Speech acts. *See* Dialog acts
- Spenader, J., 392n28
- Sponsor-head-identification algorithm, 236–237
- Sponsors
 - adjuncts in, 238–239
 - challenges with, 207–209
 - for definite descriptions (NP-Defs), 229, 231–233
 - definition of, 202
 - no-sponsor-needed instances, 208, 229
 - for referring expressions, 202, 207–209, 293–297
 - verbal/EVENT head of, 235–237
- Spoonerisms, 394n11
- Ssplit annotator, 117
- Stable properties, 293–294
- Stanford CoreNLP. *See* CoreNLP Natural Language Processing Toolkit
- Stanford Natural Language Inference corpus, 386n18
- Steen, G., 181
- Stolcke, A., 47, 48
- Story understanding, 19–20
- Stoyanov, V., 44
- Straightforward constraint matching, 67
- Strict coreference. *See* Instance coreference
- Stripping of disfluencies, 124
- Structuralism, 5
- Stuckardt, R., 45
- Subevents, 244
- Subsumption, 43, 113–115
- Supply-side approach, 302

- Swapping of prepositions, 256–257, 264, 284
- Syn-mapping. *See* Syntactic mapping (syn-mapping)
- Synonyms, 69, 103, 267
- Synsets, 43
- Syn-strucs, dynamic sense bunching of, 135–136
- Syntactic ambiguity, 3
- Syntactic categories, coreference across, 206
- Syntactic ellipsis, 211
- Syntactic mapping (syn-mapping)
 - automatic, 131–134
 - basic strategy for, 118–124, 120, 123
 - fractured syntax in, 287–290
 - optimization of imperfect, 122, 126–128, 127
- Syntactic parsing, 28–29, 77, 128–129, 139
- Syntactic simplicity, 220, 393n32
- Syntactic structure (syn-struc), 64–68
- Systems
 - definition of, 91–92
 - system-vetting experiments, 369
- Tarski, A., 5
- Task-oriented evaluations, 351–354
- Task-oriented methodology, 62–63
- Tavernise, S., 203
- ter Stal, W. G., 178
- Text meaning representations (TMRs). *See also*
 - Natural language understanding (NLU)
 - aspect values of, 162–163
 - confidence levels for, 65, 67
 - episodic memory, 77
 - example of, 64–68
 - “golden,” 93–94
 - role in overall agent cognition, 60–61
 - sets in, 152–158
 - storing in memory, 297
 - TMR repository, 252–253
 - understanding the formalism, 64–65
- Textual coreference, 201. *See also* Basic Coreference Resolution
- Textual inference, 22, 285
- Theoretical linguistics, 23
 - construction grammar, 16–17, 165
 - Dynamic Syntax, 17
 - formal approaches to, 5–6
 - generative grammar, 6, 16
 - relevance to agent development, 16–17
- Theories, 89
- Thesauri, 17, 103, 386n14
- Third-person pronouns, resolution of, 213–215
- Tiered-grammar hypothesis, 23–25
- Time of speech, 64, 388n2
- TMRs. *See* Text meaning representations (TMRs)
- Tokenize annotator, 117
- Topic, concept of, 20, 31
- TRAINS/TRIPS, 37, 124
- Transient relaxations, 306
- Transitive verbs, 28, 124–125, 193
- Tratz, S., 177
- Traum, D., 47, 49, 353
- Trigger detection, 244
- Trimming, 221
- Troponymy, 43
- Truth-conditional semantics, 6
- Turn-taking, 387n41
- Type coreference, 237–239
- Type-versus-instance coreference decision
 - algorithm, 238
- Uckelman, S. L., 40
- UMLS, 389n20
- Unconnected constraints, 265–266
- Underspecification, 82, 264–279, 390n13. *See also*
 - Basic Coreference Resolution
 - coreference resolution and, 241–242
 - definition of, 201
 - events of change, 270, 279, 284
 - known expressions, 291
 - nominal compounds, 180, 264–269, 279
 - ungrounded and underspecified comparisons, 270–279, 394n18
 - unknown word analysis, 291–292
- Under-the-hood panes (MVP), 324
- Undesirable things, referring expressions indicating, 221–223, 226
- Unger, C., 100–101
- Ungerer, F., 23
- Ungrounded and underspecified comparisons, 270–279
 - classes of comparatives, 271–277, 272
 - machine learning approach to, 394n18
 - overview of, 270–271
 - reasoning applied in, 277–279
 - value sets for, 271
- Unified Modeling Language (UML), 390n1
- Universal Grammar, 6
- Universally known entities, 208, 229, 392n12
- Unknown words, treatment of
 - during Basic Semantic Analysis, 178, 194–198
 - during Pre-Semantic Integration, 85, 124–126
 - during Situational Reasoning, 291–292
- Unobservable causes, 5, 39, 385n7
- Upper-case semantics, 64, 387n2
- Utterance-level constructions, 172–173
- Utterances, fragmentary, 193
- Vague comparisons
 - in comparative construction, 273–274
 - inward-looking, 275–276
 - point of comparison located elsewhere in text, 276–277
- Vague properties, objects clustered by, 251–252
- Validity, illusion of, 336–337
- Value facet, 71
- van der Vet, P. E., 178

- Verbal actions, 62
- Verbal/EVENT head of sponsors, 235–237
- Verbmobil project, 40–41
- VerbNet, 25–26
- Verb phrase (VP) ellipsis
 - aspect + OBJECT resolution, 241–242
 - constructions, 187–189, **188**, 192
 - coreference between objects in, 238–239
 - definition of, 186–187, 192
 - evaluation experiment, 366–369
 - past work on, 393n44
- Verbs
 - aspectual, 186–189, 192, 240, 241–242
 - in constructions, 166–167
 - in copular metaphors, 184–185
 - coreferential events expressed by, 242–244
 - dynamic sense bunching of, 135–136
 - light, 107–109
 - matrix, 163, 165
 - new-word learning of, 124–125
 - optionally transitive, 193
 - phrasal, 128–129
 - transitive, 28, 124–125, 193
 - unknown, 196
- Véronis, J., 103
- Versley, Y., 45
- Vertical incrementality, 77–82, 80, 84
- Vetting sponsors for referring expressions, 293–296
- ViPER (Verb Phrase Ellipsis Resolver), 367–369
- Virtual ontological concepts, sem-strucs as, 105–106
- Visualization of disease models, 320–324
 - under-the-hood panes, **324**
 - ontological knowledge, 321–324, **323**
 - patient-authoring interface, 320–321, **322**
- Visual meaning representations (VMRs), 296–297
- Volitive modality, **161**
- VP ellipsis. *See* Verb phrase (VP) ellipsis
- Wall Street Journal*, 270, 356, 359
- Weaver, W., 5, 56
- Webber, B. L., 21
- Wiebe, J., 388n8
- Wiener, N., 5
- Wilkes-Gibbs, D., 49
- Wilks, Y., 6, 18–19, 34, 94–95, 388n17, 389n22
- Wilson, C., 139
- Window of coreference, 202
- Winograd, T., 6
- Winograd Schema Challenge, 213, 295–296
- Winston, P. H., 19
- Winther, R. G., 89
- Wittenberg, E., 23–24
- Wittgenstein, L., 94
- Woods, W. A., 6
- WordNet, 19, 26, 42–43, 95, 103, 115, 221
- Wordnets, 17–18, 98
- Word sense disambiguation (WSD), 50–51
- Worknik, 115
- XMRs, 296–297. *See also* Text meaning representations (TMRs); Visual meaning representations (VMRs)
- Yuret, D., 26
- Zaenen, A., 22, 29, 33

